# N904 Series Liquid Ring Vacuum Pumps

Models: N904L, N904M, N904P, N904R, N904S, N904T, N904U



#### **OVERVIEW**

The NES N904 remains a prevalent fixture across diverse industrial sectors. These resilient pumps, boasting seven distinct models, adeptly manage the challenge of excess liquid carryover, including handling massive slugs with ease.

#### **UNIQUE FEATURES**

- **Durable Construction:** Standard construction is cast iron with packing seals, optional 304 or 316 stainless steel construction and cladding. NES N904 pumps are built to withstand the rigor of wet and dirty industrial environments, ensuring reliable operation over extended periods of time.
- Built for Vast Range of Applications: Ranging from approximately 2200 to 17200 CFM, the NES 904 pumps offer versatility, catering to a diverse range of industrial applications with varying volume requirements. Improved efficiency with lower power consumption.
- Exceptional Liquid Handling: These pumps excel in handling excess liquid carryover, including large slugs, without encountering performance issues. This capability ensures efficient and uninterrupted operation even in challenging operating conditions.
- Multiple Model Options: The NES 904 series is comprised of seven distinct models, each tailored to specific performance requirements. The series is available as a bare pump or as a part of engineered systems; also available in single or double shaft configurations and clockwise or counterclockwise rotations.



- Adaptability Across Industries: The NES N904
  pumps find application across a broad spectrum of
  industries, including textiles mercerization, mine
  exhausting and beneficiation, paper production
  couch roll dewatering, sugar vacuum pan drying,
  tobacco leaf drying, and food processing. Their
  adaptability is only accented by their versatility and
  reliability in diverse operational environments.
- 2 -Years Warranty: NES N904 liquid ring vacuum pumps are factory performance tested and come with a 2-year warranty.

| MODELS           | N904 L, M, P, R, S, T, U;   |
|------------------|---|
|                  | 1, 2, 3 for L – U   |
| POWER RANGE      | 30 HP to 900 HP   |
| CAPACITY RANGE   | 2200-17200 CFM  |
| MAX VACUUM LEVEL | 27.5″ Hg  |
| MAX COMPRESSION  | 14.7 psig   |
| MOC              | Cast Iron/Stainless<br>Steel Clad and Fitted –<br>Stainless Steel<br>304/Stainless Steel<br>316 |

#### **BASIC SPECIFICATION**

NES Company Inc. 333 Route 46 West, Building A, Fairfield, NJ 07004 (800) 297-3550 | www.nescompany.com | info@nescompany.com © 2023 NES Company Inc. All rights reserved

## N904 Series Liquid Ring Vacuum Pumps

Models: N904L, N904M, N904P, N904R, N904S, N904T, N904U



### **COMMON APPLICATION**

Our N904 pumps find widespread application in various industries, including textiles, mining, paper production, sugar processing, tobacco manufacturing, food processing, and numerous other process-based sectors. Its enduring presence underscores its reliability and adaptability to meet the demanding needs of modern industrial processes.

> NES Company Inc. 333 Route 46 West, Building A, Fairfield, NJ 07004 (800) 297-3550 | www.nescompany.com | info@nescompany.com © 2023 NES Company Inc. All rights reserved

### N904 Series Liquid Ring Vacuum Pumps

Models: N904L, N904M, N904P, N904R, N904S, N904T, N904U



### **GENERAL SUCTION PERFORMANCE**



NES Company Inc. 333 Route 46 West, Building A, Fairfield, NJ 07004 (800) 297-3550 | www.nescompany.com | info@nescompany.com © 2023 NES Company Inc. All rights reserved