### **Roots Blower**

Models: NRB3206, NRB3210, NRB4009, NRB4012, NRB5507, NRB5511, NRB5514, NRB5518, NRB7017, NRB7021, NRB7026,

NRB9027, NRB1230, NRB1248



Description: NRB Series Roots- Type Blowers

Models: NRB3206, NRB3210, NRB4009, NRB4012, NRB5507, NRB5511, NRB5514, NRB5518, NRB7017, NRB7021, NRB7026,

NRB9027, NRB1230, NRB1248 Power Range: 4 - 400 HP Capacity Range: 220-9300 CFM

Max Vacuum: 17" HG Max Pressure: 15 PSIG

#### **OVERVIEW**

NES Company Inc. is proud to present the NRB Series Roots-Type Blowers with increased stability and efficiency through a double oil tank and five-point bearing design. Standard construction of the NRB Series is cast iron, with an array of options to select between metallurgy, power rating, capacity, vacuum level, pressure level, internal coating, and sizing. The five-point bearing design improves the load on the bearing during operation, and the double oil tank provides both cooling and lubrication to the bearings, keeping operating temperatures low and pushing efficiency high. Lip seals, mechanical seals, and labyrinth seals are available for selection, and NES Company Inc. offers the optional NRB Series gas-tight design to keep the discharge gasses free of contamination and reduce total oil consumption. Synchronous gears are secured on the driving side of the blower to prevent torsional stresses from damaging the blower. In all, the NRB Series is built to last and to operate without issue.



### **DESCRIPTION**

NES Company Inc. NRB Series Rootstype blowers are perfect for roughing
and removal of condensable process gasses.
These two-lobe design single units can
reach a pressure of 15 PSIG and vacuum
of 17" Hg with the ability for both
compressive and vacuum effects. NES
NRB Series blowers boast a high rotation
speed, lowering the temperature of the
process gas and extending the life of the
blower's components. The NRB Series is
available from 220 to 9300 CFM and 4 to 400 HP.

## /

## NRB Series

# **Roots Blower**

Models: NRB3206, NRB3210, NRB4009, NRB4012, NRB5507, NRB5511, NRB5514, NRB5518, NRB7017, NRB7021, NRB7026,

NRB9027, NRB1230, NRB1248




#### **FEATURES**

Five-point bearing design
Double oil tank
Synchronous gears
Helical gear design
Array of seals for selection
Optional gas-tight design
Robust construction
Wide capacity range for various applications
One (1) year warranty against manufacturing defects.

#### **NOTES**

NES Company is proud to offer our NRB Series Roots Blower. NES NRB Series Roots-Type Blowers are factory performance tested and include a 1-year warranty against manufacturer's defects. For more information, please contact an NES Representative or fill a form out at nescompany.com .



### **Roots Blower**

Models: NRB3206, NRB3210, NRB4009, NRB4012, NRB5507, NRB5511, NRB5514, NRB5518, NRB7017, NRB7021, NRB7026,

NRB9027, NRB1230, NRB1248



#### **GENERAL TECHNICAL DATA**

			Max			Cooling Water	Seal Water
Series Name	Shaft Power [HP]	CFM	Operating Vacuum ["HgV]	Inlet [Inch]	Outlet [Inch]	Flow [GPM]	Connection Size [Inch]
NRB3206	1.07 - 4.02	21 – 220	15	3 FL	3 FL	0.21	1/4 NPT
NRB3210	1.20 - 28.16	37 – 368	15	4 FL	4 FL	0.25	1/4 NPT
NRB4009	1.79 – 45.59	49 – 497	17	4 FL	4 FL	0.25	1/4 NPT
NRB4012	2.01 - 50.95	87 – 682	15	4 FL	4 FL	0.39	1/4 NPT
NRB5507	2.54 - 69.73	99 – 795	17	6 FL	6 FL	0.39	1/4 NPT
NRB5511	2.95 - 83.14	150 – 1172	17	6 FL	6 FL	0.5	1/4 NPT
NRB5514	3.48 - 95.21	490 - 1522	15	6 FL	6 FL	0.5	1/4 NPT
NRB5518	4 - 9.4	350 – 1963	15	8 FL	8 FL	0.5	1/4 NPT
NRB7017	7.2 - 226.6	602 – 2809	15	10 FL	10 FL	1	1/4 NPT
NRB7021	8.3 - 244	783 – 3480	15	12 FL	12 FL	1	1/4 NPT
NRB7026	1.74 – 241.4	105 – 24317	15	12 FL	12 FL	1	1/4 NPT
NRB9027	8 – 370.1	620 - 5318	15	14 FL	14 FL	1.5	3/8 NPT
NRB1230	12 – 385	772 – 9021	12	14 FL	14 FL	2	3/8 NPT
NRB1248	14.75 - 269	1305 - 9278	10	20 FL	20 FL	2.5	G 1/4

# 1

# NRB Series

## **Roots Blower**

Models: NRB3206, NRB3210, NRB4009, NRB4012, NRB5507, NRB5511, NRB5514, NRB5518, NRB7017, NRB7021, NRB7026,

NRB9027, NRB1230, NRB1248



#### **Variation Table**

Variation Table	Particulars				
	Standard Cast Iron				
	Stainless Steel 304				
	Stainless Steel 316L				
Metallurgy	Duplex Steel				
	Clockwise				
Direction	Counter- Clockwise Rotation				
Purpose	Vacuum Pump				
	Standard Available as Gland Packing				
	Available with Single Seal				
	Available with Single Cartridge Seal				
Sealing	Available with Dual Cartridge Seal and Seal Pot				
	Once Through				
	Partial Recovery				
Configuration	Full Sealant Recovery				
	Simplex				
	Duplex				
	Triplex				
Other System Configuration	Quadruplex				

### 1

## NRB Series

### **Roots Blower**

Models: NRB3206, NRB3210, NRB4009, NRB4012, NRB5507, NRB5511, NRB5514, NRB5518, NRB7017, NRB7021, NRB7026,

NRB9027, NRB1230, NRB1248



### Blower Length, Height, Width and Weight.

				Pump
Model	Length	Height	Width	Weight
Model	(Inches)	(Inches)	(Inches)	(Lbs)
NRB3206	19.8	14.8	9.8	160
NRB3210	23.8	14.8	9.8	194
NRB4009	25	15	12.67	260
NRB4012	28	15	12.67	300
NRB5507	27.9	20	16.75	450
NRB5511	31.4	20	16.75	520
NRB5514	34.4	20	16.75	580
NRB5518	34.4	20	16.75	683
NRB7017	50	25.6	14.5	1274
NRB7021	54	25.6	14.5	1450
NRB7026	54	25.6	14.5	1600
NRB9027	61.4	30.7	18.1	2560
NRB1230	80.6	29.4	27.7	5400
NRB1248	98.6	29.4	27.7	6856.4

### Application table

#### **Applications**

Tail Gas Conveying

Steam Recompression

Thermoforming

Vacuum Tables

**Fogging Applications** 

Cement and Lime

**Biodiesel Plants** 

**Dust Collection** 

Aquaculture

## 1

## NRB Series

## **Roots Blower**

Models: NRB3206, NRB3210, NRB4009, NRB4012, NRB5507, NRB5511, NRB5514, NRB5518, NRB7017, NRB7021, NRB7026,

NRB9027, NRB1230, NRB1248



#### **Material Construction Table**

NO.	Parts Name	NDD2	200 / 2240	NDD 40	100 / 4040		/ 5511 / 5514 /	NRB7017/ 7021 /
			206 / 3210 uantity		NRB4009 / 4012		5518	7026 Quantity
		Oil Seal	Mechanical	Quantity Mechanical		Quantity Oil Seal Mechanical		Mechanical Seal
		On Ocai	Seal	Oil Seal	Seal	On Ocai	Seal	McCharloa ocal
1	Double row angular	2	2	Oil Ooal	2	2	2	4
	contact ball bearing	_	_	2	_	_	_	•
2	Single rib bearing	2	2	2	2	2	2	1
3	Roller bearing	1	1	1	1	1	1	1
4	Mechanical seal	j	4	j	4	j	4	4
	(inside)							
5	Mechanical seal (outside)	1	1	1	1	1	1	1
6	Labyrinth seal	4	4	4	4	4	4	4
7	Skeleton oil seal	4	j	4	j	4	j	j
	(inside)							
8	Skeleton oil seal (outside)	1	1	1	1	1	1	1
9	O-Ring (end cover)	4	4	4	4	4	4	4
10	O-Ring (sealing seat)	1	1	1	1	1	1	1
11	Gear key	2	2	2	2	2	2	2
12	Gear adjustment gasket	10	10	10	10	10	10	10
13	Mechanical seal adjustment gasket	10	10	10	10	10	10	10
14	Bearing washer	2	2	2	2	2	2	2
15	Hexagon socket countersunk head screw	4	4	2	2	2	2	4
16	Hexagon socket countersunk head screw	4	4	4	4	4	4	1
17	Hexagon socket bolt	2	2	1	1	1	1	1
18	Stop washer for round nut	1	/	2	2	2	2	1
19	Lock washer	/	1	4	4	6	6	/
20	Drive shaft lock washer	1	1	2	2	2	2	1


### **Roots Blower**

Models: NRB3206, NRB3210, NRB4009, NRB4012, NRB5507, NRB5511, NRB5514, NRB5518, NRB7017, NRB7021, NRB7026,

NRB9027, NRB1230, NRB1248



#### Exploded View NRB3206 & NRB3210




### **Roots Blower**

Models: NRB3206, NRB3210, NRB4009, NRB4012, NRB5507, NRB5511, NRB5514, NRB5518, NRB7017, NRB7021, NRB7026,

NRB9027, NRB1230, NRB1248



#### Exploded View NRB4009 & NRB4012




### **Roots Blower**

Models: NRB3206, NRB3210, NRB4009, NRB4012, NRB5507, NRB5511, NRB5514, NRB5518, NRB7017, NRB7021, NRB7026, NRB9027, NRB1230, NRB1248



Exploded View NRB5507, NRB5511, NRB5514 & NRB5518




### **Roots Blower**

Models: NRB3206, NRB3210, NRB4009, NRB4012, NRB5507, NRB5511, NRB5514, NRB5518, NRB7017, NRB7021, NRB7026,



NRB9027, NRB1230, NRB1248

### Exploded View NRB7017, NRB7021, NRB7026




#### **Exploded View NRB9027**

### **Roots Blower**

Models: NRB3206, NRB3210, NRB4009, NRB4012, NRB5507, NRB5511, NRB5514, NRB5518, NRB7017, NRB7021, NRB7026,





#### Exploded View NRB1230 & NRB1248

### **Roots Blower**

Models: NRB3206, NRB3210, NRB4009, NRB4012, NRB5507, NRB5511, NRB5514, NRB5518, NRB7017, NRB7021, NRB7026,

NRB9027, NRB1230, NRB1248



